MINISTRY OF PETROLEUM RESOURCES

PETROLEUM RESOURCES. DEPARTMENT

7 KOFO ABAYOMI STREET, VICTORIA ISLAND LAGOS.

P. M. B.	No12560
Lelegrar	nsPEIRES
	ne 3200440-9



Ref. No. PI/SE/7132/Vol.32/ 21st September 2004

Telex

The Managing Director, Industrial Solvents and Chemicals Ltd, 22, Idowu Taylor Street, Victoria Island, Lagos.

Dear Sir,



21/2/04

APPROVAL TO USE OIL SPILL EATER II FOR OPERATIONS IN NIGERIA.

Your application for the use of the above chemical in the oil and Gas Industry in Nigeria refers.

- 2. Following a review of the report on Toxicity test submitted to DPR in respect of the above chemical, and in consideration of the technical data provided, I wish to convey to you, this Department's Provisional Approval for use of the chemical in Nigeria. This provisional approval is to afford you the opportunity to use the chemical for the purpose intended as an oil spill eater.
- 3. Please note that the use of OIL SPILL EATER shall be governed by the relevant regulations as contained in the Environmental Acts/Laws of Nigeria as well as the provisions of the Environmental Guidelines and Standards for the Petroleum Industry in Nigeria. This approval notwithstanding, the user of OIL SPILL EATER shall not be exonerated from any damage done to the environment on account of the use of this chemical.
- 4. You shall furnish DPR with the relevant physico-chemical parameters of the recipient environment into which the OIL SPILL EATER water would be discharge in order to determine the occurrence or otherwise of the trace concentration of the chemicals. For a

meaningful analysis, this shall be done prior to, discharge and after discharge of the OIL SPILL EATER water.

5. Furthermore; any change in the composition or reformation of the chemical, affecting the data submitted, should be communicated to the Director of Petroleum Resources for the purpose of refesting the new product so formulated before the letter of acceptance and approval can be re-issued.

Yours faithfully,

G. U. AGHA fnape

for; Director, Petroleum Resources